## **SAFETY DATA SHEET**

ACP Car & Truck Wash & Shine

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : ACP Car & Truck Wash & Shine

**Product code** : 2-3123, # 38

Product description : Liquid vehicle cleaner

Product type : Liquid.

Other means of : Not available.

identification

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### **Identified uses**

Not applicable.

#### **Uses advised against**

Not applicable.

#### 1.3 Details of the supplier of the safety data sheet

Aqua ChemPacs, LLC Philmont Avenue, Huntingdon Valley, PA 19006 (888)964-2080

e-mail address of person responsible for this SDS

: lab@chempacs.com

responsible for this s

#### **National contact**

Edit the content of sentence <GB National Contact> to define this output

#### 1.4 Emergency telephone number

#### National advisory body/Poison Center

**Telephone number**: Edit the content of sentence <GB Telephone Number - Poison Center> to define this

output

**Supplier** 

Telephone number : 888-964-2080

Hours of operation : Edit the content of sentence <GB Telephone Number - Supplier - Hours of operation>

to define this output

**Information limitations** : Edit the content of sentence <GB Telephone Number - Supplier - Information

limitations> to define this output

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Product definition : Mixture

<u>Classification according to UK CLP/GHS</u>

Skin Irrit. 2, H315 Eye Irrit. 2, H319

Aquatic Chronic 3, H412

The product is classified as hazardous according to UK CLP Regulation SI 2019/720 as amended. The hazard classification and label elements reflect the intrinsic properties of the concentrated product as supplied, which is sealed in a water soluble sachet. The following precautinary statements are applicable under conditrions of the potential exposure to the large quantities of product (spills over 5 gallons), or handling damaged sachets (full skid). Handling undamaged pouches of product under normal conditions according to instructions does not present any exposure to concentrate, no PPE is required (applicable to Sections 5, 6 and 11 of the current SDS).

Date of issue/Date of revision: 1/5/2023Date of previous issue: 1/5/2023Version: 1.011/15

## **SECTION 2: Hazards identification**

Ingredients of unknown toxicity

29.5 percent of the mixture consists of component(s) of unknown acute dermal toxicity
 87.9 percent of the mixture consists of component(s) of unknown acute inhalation toxicity

Ingredients of unknown ecotoxicity

: Contains 58.4% of components with unknown hazards to the aquatic environment

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

#### 2.2 Label elements

Hazard pictograms



Signal word : Warning

**Hazard statements** : Causes skin irritation.

Causes serious eye irritation.

Harmful to aquatic life with long lasting effects.

**Precautionary statements** 

General : Read carefully and follow all instructions. Keep out of reach of children. If medical

advice is needed, have product container or label at hand.

**Prevention**: Wear protective gloves. Wear eye or face protection. Avoid release to the

environment. Wash thoroughly after handling.

**Response** : Take off contaminated clothing and wash it before reuse. IF IN EYES: Rinse

cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.

Storage : Not applicable.

Disposal : Dispose of contents and container in accordance with all local, regional, national and

international regulations.

Supplemental label : Co

elements

: Contains (R)-p-mentha-1,8-diene, linalool and 4-(4-hydroxy-4-methyl-pentyl)cyclohex-

3-ene-1-carbaldehyde. May produce an allergic reaction.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : Not applicable.

#### Special packaging requirements

Containers to be fitted with child-resistant

fastenings

: Not applicable.

Tactile warning of danger : Not applicable.

#### 2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII  This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Other hazards which do : No not result in classification

: None known.

Date of issue/Date of revision : 1/5/2023 Date of previous issue : 1/5/2023 Version : 1.01 2/15

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures : Mixture

Product/ingredient name	Identifiers	%	Classification	Type
Anionic surfactant Diol	-	Proprietary Proprietary	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319	[1] [1] [2]
(R)-p-mentha-1,8-diene	EC: 227-813-5 CAS: 5989-27-5 Index: 601-029-00-7	<1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	[1]
linalool	EC: 201-134-4 CAS: 78-70-6 Index: 603-235-00-2	≤0.3	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412	[1]
			See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

#### <u>Type</u>

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

#### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

Inhalation

: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

**Skin contact** 

: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion

: Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

**Protection of first-aiders** 

: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

Date of issue/Date of revision : 1/5/2023 Date of previous issue : 1/5/2023 Version : 1.01 3/15

#### **SECTION 4: First aid measures**

#### 4.2 Most important symptoms and effects, both acute and delayed

**Over-exposure signs/symptoms** 

**Eye contact**: Adverse symptoms may include the following:

pain or irritation watering redness

Inhalation : No specific data.

**Skin contact**: Adverse symptoms may include the following:

irritation redness

**Ingestion** : No specific data.

### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : In case of inhalation of decomposition products in a fire, symptoms may be delayed.

The exposed person may need to be kept under medical surveillance for 48 hours.

**Specific treatments**: No specific treatment.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing

media

: None known.

#### 5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture

: In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Hazardous combustion products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides

#### 5.3 Advice for firefighters

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable

training.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

#### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders

: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Date of issue/Date of revision : 1/5/2023 Date of previous issue : 1/5/2023 Version : 1.01 4/15

#### **SECTION 6: Accidental release measures**

## **6.2 Environmental precautions**

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

#### 6.3 Methods and materials for containment and cleaning up

#### **Small spill**

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

#### Large spill

: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## 6.4 Reference to other sections

: See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

## **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 7.1 Precautions for safe handling

#### **Protective measures**

: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

## Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

#### 7.3 Specific end use(s)

Recommendations : Not available.

Industrial sector specific : Not available.

solutions

Date of issue/Date of revision : 1/5/2023 Date of previous issue : 1/5/2023 Version : 1.01 5/15

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational exposure limits**

Exposure limit values
EH40/2005 WELs (United Kingdom (UK), 8/2018).
STEL: 123 mg/m³ 15 minutes.
STEL: 25 ppm 15 minutes.
TWA: 123 mg/m³ 8 hours. TWA: 25 ppm 8 hours.

#### **Biological exposure indices**

No exposure indices known.

Recommended monitoring procedures

: Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

### **DNELs/DMELs**

Product/ingredient name	Type	Exposure	Value	Population	Effects
Diol	DNEL	Long term Oral	1 mg/kg	General	Systemic
	DNEL	Long term Dermal	bw/day 1 mg/kg	population General	Systemic
		Long term Berman	bw/day	population	- Cyclonnic
	DNEL	Long term Dermal	2 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	3.5 mg/m <sup>3</sup>	General population	Systemic
	DNEL	Long term Inhalation	14 mg/m³	Workers	Systemic
	DNEL	Long term Inhalation	25 mg/m³	General population	Local
	DNEL	Short term Inhalation	49 mg/m³	General population	Local
	DNEL	Long term Inhalation	49 mg/m³	Workers	Local
	DNEL	Short term Inhalation	98 mg/m³	Workers	Local
Anionic surfactant	DNEL	Long term Oral	24 mg/kg bw/day	General population	Systemic
	DNEL	Long term Inhalation	85 mg/m <sup>3</sup>	General population	Systemic
	DNEL	Long term Inhalation	285 mg/m³	Workers	Systemic
	DNEL	Long term Dermal	2440 mg/ kg bw/day	General population	Systemic
	DNEL	Long term Dermal	4060 mg/ kg bw/day	Workers	Systemic
(R)-p-mentha-1,8-diene	DNEL	Long term Oral	4.8 mg/kg	General	Systemic
	DNEL	Long term Dermal	bw/day 4.8 mg/kg	population General	Systemic
	DNEL	Long term Dermal	bw/day 9.5 mg/kg bw/day	population Workers	Systemic
	DNEL	Long term Inhalation	16.6 mg/m³	General population	Systemic
	DNEL	Long term Inhalation	66.7 mg/m <sup>3</sup>		Systemic
linalool	DNEL	Long term Dermal	1.25 mg/ kg bw/day	General population	Systemic
	DNEL	Short term Dermal	1.5 mg/cm <sup>2</sup>	General population	Local
	DNEL	Long term Dermal	1.5 mg/cm <sup>2</sup>	General population	Local

## **SECTION 8: Exposure controls/personal protection**

	•			
DNEL	Long term Oral	2.49 mg/	General	Systemic
		kg bw/day	population	
DNEL	Short term Dermal	3 mg/cm <sup>2</sup>	Workers	Local
DNEL	Long term Dermal	3 mg/cm <sup>2</sup>	Workers	Local
DNEL	Long term Dermal	3.5 mg/kg	Workers	Systemic
		bw/day		
DNEL	Long term	4.33 mg/m <sup>3</sup>	General	Systemic
	Inhalation		population	
DNEL	Long term	24.58 mg/	Workers	Systemic
	Inhalation	m³		
	1			

#### **PNECs**

No PNECs available.

#### 8.2 Exposure controls

Appropriate engineering

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

#### **Individual protection measures**

**Hygiene measures** 

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

## Skin protection

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** 

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

**Environmental exposure** controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### 9.1 Information on basic physical and chemical properties

#### **Appearance**

Physical state : Liquid.

Color : Blue. [Light]

Date of issue/Date of revision: 1/5/2023Date of previous issue: 1/5/2023Version: 1.017/15

## **SECTION 9: Physical and chemical properties**

Odor : Lemon-like. [Slight]

Odor threshold : Not available.

Melting point/freezing point : Not available.

Initial boiling point and boiling : Not available.

range

Flash point

Flammability (solid, gas) : Not available.

Upper/lower flammability or : Not available.

explosive limits

: Closed cup: Not applicable. [Product does not sustain combustion.]

Auto-ignition temperature : Not available.

Decomposition temperature : Not available.

pH : 7 to 8.5 at RTU dilution
Viscosity : 200-300 cps at 23 C

Solubility(ies) :

MediaResultcold waterEasily solublehot waterEasily soluble

Solubility in water : Completely soluble in water

Partition coefficient: n-octanol/

water

: Not applicable.

Vapor pressure : Not available.

Relative density : 1.05

**Density** : 1.05 g/cm³ [23°C (73.4°F)]

Vapor density: Not available.Explosive properties: Not available.Oxidizing properties: Not available.

**Particle characteristics** 

Median particle size : Not applicable.

## SECTION 10: Stability and reactivity

10.1 Reactivity : No specific test data related to reactivity available for this product or its ingredients.

**10.2 Chemical stability** : The product is stable.

10.3 Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid : No specific data.

10.5 Incompatible materials : No specific data.

10.6 Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Date of issue/Date of revision : 1/5/2023 Date of previous issue : 1/5/2023 Version : 1.01 8/15

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

### **Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
Anionic surfactant	LD50 Dermal	Rabbit	>23220 mg/kg	-
	LD50 Oral	Rat	1653 mg/kg	-
Diol	LD50 Oral	Rat	3700 mg/kg	-
(R)-p-mentha-1,8-diene	LD50 Dermal	Rabbit	>5000 mg/kg	-
	LD50 Oral	Rat	4400 mg/kg	-
linalool	LD50 Dermal	Rabbit	5610 mg/kg	-
	LD50 Dermal	Rat	5610 mg/kg	-
	LD50 Oral	Rat	2790 mg/kg	-

Conclusion/Summary

: Not available.

## **Acute toxicity estimates**

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
ACP Car & Truck Wash & Shine	2638.8	N/A	N/A	N/A	N/A
Anionic surfactant	1653	N/A	N/A	N/A	N/A
Diol	3700	N/A	N/A	N/A	N/A
(R)-p-mentha-1,8-diene	4400	N/A	N/A	N/A	N/A
linalool	2790	5610	N/A	N/A	N/A

#### **Irritation/Corrosion**

Product/ingredient name	Result	Species	Score	Exposure	Observation
Diol	Skin - Mild irritant	Rabbit	-	465 mg	-
	Skin - Moderate irritant	Rabbit	-	24 hours 500	-
				mg	
Anionic surfactant	Eyes - Mild irritant	Rabbit	-	250 ug	-
	Eyes - Moderate irritant	Rabbit	-	10 mg	-
	Eyes - Moderate irritant	Rabbit	-	24 hours 100	-
				mg	
	Skin - Mild irritant	Dog	-	24 hours 25	-
	Oldin Milal invitant	Cuinas nin		mg	
	Skin - Mild irritant	Guinea pig	-	24 hours 25	-
	Skin - Mild irritant	Human		mg 24 hours	
	Skin - Mild Irritant	numan	-	0.06 %	-
	Skin - Mild irritant	Human	_	504 hours	_
	Skiii - Iviiid ii italit	Tiulilali	_	0.3 %	-
	Skin - Mild irritant	Human	_	47 hours 0.5	_
	OKIT WING IFFICATIO	riaman		%	
	Skin - Mild irritant	Human	_	22 hours 10	_
				%	
	Skin - Mild irritant	Human	-	2 hours 2 %	-
	Skin - Mild irritant	Human	-	18 hours 2 %	-
	Skin - Mild irritant	Pig	-	24 hours 25	-
				mg	
	Skin - Mild irritant	Rabbit	-	24 hours 50	-
				mg	
	Skin - Moderate irritant	Human	-	24 hours 0.1	-
				%	
	Skin - Moderate irritant	Human	-	48 hours 3 %	-
	Skin - Moderate irritant	Mouse	-	24 hours 25	-
				mg	
	Skin - Moderate irritant	Rabbit	-	24 hours 25	-
(D) (I 4 0 I	OL: MILL: I	D 11.7		mg	
(R)-p-mentha-1,8-diene	Skin - Mild irritant	Rabbit	-	24 hours 10	-
lingland	Even Moderate irritant	Dobbit		%	
linalool	Eyes - Moderate irritant	Rabbit	-	1 hours 0.1	-

Date of issue/Date of revision: 1/5/2023Date of previous issue: 1/5/2023Version: 1.019/15

## **SECTION 11: Toxicological information**

			MI	
Eyes - Moderate irritant	Rabbit	-	100 uL	-
Skin - Mild irritant	Human	-	72 hours 32	-
			%	
Skin - Mild irritant	Man	-	48 hours 16	-
			mg	
Skin - Mild irritant	Rabbit	-	24 hours 500	-
			mg	
Skin - Moderate irritant	Guinea pig	-	24 hours 100	-
			mg	
Skin - Severe irritant	Rabbit	-	24 hours 100	-
			mg	

Conclusion/Summary : Not available.

**Sensitization** 

**Conclusion/Summary**: Not available.

**Mutagenicity** 

**Conclusion/Summary**: Not available.

**Carcinogenicity** 

**Conclusion/Summary**: Not available.

**Reproductive toxicity** 

Conclusion/Summary : Not available.

**Teratogenicity** 

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

**Aspiration hazard** 

Not available.

Information on the likely routes of exposure

: Not available.

Potential acute health effects

**Eye contact** : Causes serious eye irritation.

**Inhalation** : No known significant effects or critical hazards.

**Skin contact**: Causes skin irritation.

**Ingestion**: No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : Adverse symptoms may include the following:

pain or irritation watering redness

Inhalation : No specific data.

**Skin contact**: Adverse symptoms may include the following:

irritation redness

**Ingestion**: No specific data.

<u>Delayed and immediate effects and also chronic effects from short and long term exposure</u>

Short term exposure

Date of issue/Date of revision: 1/5/2023Date of previous issue: 1/5/2023Version: 1.0110/15

## **SECTION 11: Toxicological information**

**Potential immediate** 

effects

: Not available.

**Potential delayed effects** 

: Not available.

**Long term exposure** 

**Potential immediate** 

: Not available.

effects

**Potential delayed effects** : Not available.

Potential chronic health effects

Not available.

**Conclusion/Summary** : Not available.

General : No known significant effects or critical hazards. Carcinogenicity : No known significant effects or critical hazards. **Mutagenicity** : No known significant effects or critical hazards. **Reproductive toxicity** : No known significant effects or critical hazards.

: Not available. Other information

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
Diol	Acute EC50 2800000 µg/l Fresh water	Crustaceans - Water flea -	48 hours
		Ceriodaphnia reticulata - Larvae	
	Acute EC50 3200000 µg/l Fresh water	Daphnia - Water flea - Daphnia	48 hours
		magna - Larvae	
	Acute LC50 8000000 µg/l Marine water	Fish - Bleak - Alburnus alburnus	96 hours
Anionic surfactant	Acute EC50 1200 μg/l Marine water	Algae - Diatom - Skeletonema costatum	96 hours
	Acute LC50 900 µg/l Marine water	Crustaceans - Brine shrimp -	48 hours
		Artemia salina - Adult	
	Acute LC50 1400 µg/l Fresh water	Daphnia - Water flea - Daphnia	48 hours
		pulex - Neonate	
	Acute LC50 590 μg/l Fresh water	Fish - Carp, hawk fish -	96 hours
		Cirrhinus mrigala - Larvae	
	Chronic NOEC 1.25 mg/l Marine water	Algae - Sea Lettuce - Ulva	96 hours
		fasciata - Zoea	
	Chronic NOEC 1 mg/l Fresh water	Crustaceans - Water flea -	21 days
		Pseudosida ramosa - Neonate	
	Chronic NOEC 3.2 mg/l Fresh water	Daphnia - Water flea - Daphnia	21 days
		magna - Neonate	
	Chronic NOEC >1357 μg/l Fresh water	Fish - Fathead minnow -	42 days
(5)	4 . 5050 404 . #5	Pimephales promelas	40.1
(R)-p-mentha-1,8-diene	Acute EC50 421 µg/l Fresh water	Daphnia - Water flea - Daphnia	48 hours
	4 4 5050 000 #5 4	magna	001
	Acute EC50 688 µg/l Fresh water	Fish - Fathead minnow -	96 hours
		Pimephales promelas - Juvenile	
lin al a al	Acute FCF0 2C 7 mms Freeh water	(Fledgling, Hatchling, Weanling)	40 havea
linalool	Acute EC50 36.7 ppm Fresh water	Daphnia - Water flea - Daphnia magna	48 hours
	Acute LC50 28.8 ppm Fresh water	Fish - Rainbow trout,donaldson	96 hours
		trout - Oncorhynchus mykiss	

: Not available. **Conclusion/Summary** 

#### 12.2 Persistence and degradability

: Not available. **Conclusion/Summary** 

#### 12.3 Bioaccumulative potential

Date of issue/Date of revision : 1/5/2023 Date of previous issue : 1/5/2023 Version: 1.01

## **SECTION 12: Ecological information**

Product/ingredient name	LogPow	BCF	Potential
Diol	0.58	-	low
Anionic surfactant	-2.03	-	low
(R)-p-mentha-1,8-diene	4.38	-	high
linalool	2.84	-	low

12.4 Mobility in soil

Soil/water partition coefficient (K<sub>oc</sub>)

: Not available.

Mobility : Not available.

#### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

**12.6 Other adverse effects** : No known significant effects or critical hazards.

## **SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 13.1 Waste treatment methods

#### **Product**

**Methods of disposal** 

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Hazardous waste** 

Tiuzui uous wuste

**Packaging** 

**Methods of disposal** 

: The classification of the product may meet the criteria for a hazardous waste.

: The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**Special precautions** 

: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## **SECTION 14: Transport information**

	ADR/RID	ADN	IMDG	IATA	
14.1 UN number	Not available.	9006	Not available.	Not available.	
14.2 UN proper shipping name	Not available.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	Not available.	Not available.	
14.3 Transport hazard class(es)	Not available.	9	Not available.	Not available.	
14.4 Packing group	-	-	-	-	

Date of issue/Date of revision: 1/5/2023Date of previous issue: 1/5/2023Version: 1.0112/15

ACP Car & Truck Wash & Shine						
SECTION 14: Transport information						
14.5 Environmental hazards	No.	Yes.	No.	No.		

#### **Additional information**

**ADN**: The product is only regulated as a dangerous good when transported in tank vessels.

14.6 Special precautions for

user

: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in

the event of an accident or spillage.

14.7 Transport in bulk according to IMO instruments

: Not available.

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>UK (GB)/REACH</u>

#### Annex XIV - List of substances subject to authorization

#### **Annex XIV**

None of the components are listed.

#### Substances of very high concern

None of the components are listed.

#### **Ozone depleting substances**

Not listed.

## **Prior Informed Consent (PIC)**

Not listed.

#### **Persistent Organic Pollutants**

Not listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : Not applicable.

#### **Seveso Directive**

This product is not controlled under the Seveso Directive.

#### **EU regulations**

Industrial emissions : Listed

(integrated pollution prevention and control) -

Air

**Industrial emissions** 

: Not listed

(integrated pollution prevention and control) -

Water

#### **International regulations**

#### **Chemical Weapon Convention List Schedules I, II & III Chemicals**

Not listed.

#### **Montreal Protocol**

Not listed.

## **Stockholm Convention on Persistent Organic Pollutants**

Date of issue/Date of revision : 1/5/2023 Date of previous issue : 1/5/2023 Version : 1.01 13/15

## SECTION 15: Regulatory information

Not listed.

#### **Rotterdam Convention on Prior Informed Consent (PIC)**

Not listed.

#### **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

#### **Inventory list**

**Australia** Not determined. Canada : Not determined. China : Not determined.

**Eurasian Economic Union** 

: Russian Federation inventory: Not determined.

: Japan inventory (CSCL): Not determined. **Japan** 

Japan inventory (ISHL): Not determined.

**New Zealand** : Not determined. : Not determined. **Philippines** Republic of Korea : Not determined. : Not determined. **Taiwan Thailand** : Not determined. **Turkey** : Not determined. : Not determined. **United States Viet Nam** : Not determined.

15.2 Chemical Safety

This product contains substances for which Chemical Safety Assessments are still

**Assessment** required.

### **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

**Abbreviations and acronyms**: ATE = Acute Toxicity Estimate

GB CLP = UK CLP (EC No 1272/2008) on the Classification, Labelling and

Packaging of Substances and Mixtures as amended by (EU Exit) Regulations 2019

No. 720 and amendments

DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level

EUH statement = GB CLP-specific Hazard statement

N/A = Not available

PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

SGG = Segregation Group

vPvB = Very Persistent and Very Bioaccumulative

#### Procedure used to derive the classification

Classification	Justification
Skin Irrit. 2, H315	Calculation method
Eye Irrit. 2, H319	Calculation method
Aquatic Chronic 3, H412	Calculation method

#### Full text of abbreviated H statements

H226	Flammable liquid and vapor.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Date of issue/Date of revision : 1/5/2023 Date of previous issue : 1/5/2023 Version: 1.01

#### SECTION 16: Other information

#### **Full text of classifications**

Acute Tox. 4 ACUTE TOXICITY - Category 4

Aquatic Acute 1 AQUATIC HAZARD (ACUTE) - Category 1
Aquatic Chronic 1 AQUATIC HAZARD (LONG-TERM) - Category 1
Aquatic Chronic 2 AQUATIC HAZARD (LONG-TERM) - Category 2
Aquatic Chronic 3 AQUATIC HAZARD (LONG-TERM) - Category 3

Eye Irrit. 2 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2

Flam. Liq. 3 FLAMMABLE LIQUIDS - Category 3

Skin Irrit. 2 SKIN CORROSION/IRRITATION - Category 2

Skin Sens. 1 SKIN SENSITIZATION - Category 1
Skin Sens. 1B SKIN SENSITIZATION - Category 1B

Date of printing : 1/5/2023 Date of issue/ Date of : 1/5/2023

revision

**Date of previous issue** : 1/5/2023 **Version** : 1.01

#### **Notice to reader**

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.